

TEST REPORT

CLIENT	MANOLIO-
Attention to	
Test Report number	2905-22-00929
Date Reported	8/2/2022
Sample Description	
Sample Code	22-00929
Sampling container	(Package Product)
Sampler	(CLIENT)
Sample Transport	(Client)
Date of sampling	7/2/2022
Date of sample received	7/2/2022
Condition of sample received	(Normal)
Start of Analysis	7/2/2022
End of Analysis	8/2/2022

TEST RESULTS

μ	Parameters	μ		Reporting Limit (RL)	Limits [**]	Method
		Result	Units			
- CHEMICAL ANALYSIS						
()	Acidity (as oleic acid)	0.38	% (w/w)	-	0.80	EU 2568/91 (Annex) & COI/T.20/Doc. No 34
μ	Peroxide Value	10.2	mEq O2/kg	-	20.0	EU 2568/91 (Annex) & COI/T.20/Doc. No 35
232	232	1.81		-	2.50	EU 2568/91 (Annex X) & COI/T.20/Doc. No 19
268	268	0.15		-	0.22	EU 2568/91 (Annex X) & COI/T.20/Doc. No 19
		0.00		-	0.01	EU 2568/91 (Annex X) & COI/T.20/Doc. No 19

μ EN ISO/IEC 17025 (, 46/27 -11-2001). The laboratories are accredited according to ELOT EN ISO/IEC 17025 (ESYD, Accreditation Certificate 46/27 -11-2001).

[**] μ 2568/91 [**] Limits according to European Directive μ μ 2568/91 as in force concerning extra virgin olive oil.

XHMIKOTECHNIKH
ANALYTICAL - MELETES
LAFKOYBAPTON - ΠΑΝΤΙΔΑΚΗ Ο.Ε.
ΔΙΚ. ΜΑΚΡΗΣ 1, 741 00 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ
(Chemical Engineer - Laboratory Manager)

XHMIKOTECHNIKH
ANALYTICAL - MELETES
LAFKOYBAPTON - ΠΑΝΤΙΔΑΚΗ Ο.Ε.
ΔΙΚ. ΜΑΚΡΗΣ 1, 741 00 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Spantidaki Maria)

μ MSc -
(Chemist MSc - Technical Manager)

TEST REPORT

	CLIENT	MANOLIO-
	Attention to	
μ	Test Report number	2905-22-00929
μ/	Date Reported	8/2/2022
μ	Sample Description	
μ	Sample Code	22-00929
μ	Sampling container	(Package Product)
μ	Sampler	(CLIENT)
μ	Sample Transport	(Client)
μ/	Date of sampling	7/2/2022
μ/	Date of sample received	7/2/2022
μ	Condition of sample received	(Normal)
	Start of Analysis	7/2/2022
	End of Analysis	8/2/2022

TEST RESULTS

- PESTICIDE ANALYSIS

- ANALYSIS PROFILE

A/A	(METHOD)	(DESCRIPTION)
1	GC-MS/MS	E μμ μ , μ GC-MS/MS, μ EN 15662:2018. In house multi-residue method, employing GC-MS/MS, based on EN 15662:2018.

μ - Parameters	μ	Units	Reporting Limit (RL)	MRL	Method
All pesticides in Table 1	<RL	mg/Kg	0.01		GC-MS/MS

The laboratories are accredited according to EN ISO/IEC 17025 (, 46/27 -11-2001).
ELOT EN ISO/IEC 17025 (ESYD, Accreditation Certificate 46/27 -11-2001).

1: , μ (RL = 0.01mg/kg).

NOTE 1: Except the compounds in the above table, all the other pesticides were not detected. Reporting limit (RL) of the method. (RL=0.01 mg/kg)

2: μ μμ .

NOTE 2: The following tables show all the analyzed compounds.

XHMIKOTECHNIKH
ANALYTIKES MELETEΣ
LAGKOUVARADOY - SPANTIDAKH O.E.
ΔΙΚ. ΜΑΚΡΗΣ ΛΑΓΚΟΥΒΑΡΔΟΥ 74100 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ
(Chemical Engineer - Laboratory Manager)

XHMIKOTECHNIKH
ANALYTIKES MELETEΣ
LAGKOUVARADOY - SPANTIDAKH O.E.
ΔΙΚ. ΜΑΚΡΗΣ ΛΑΓΚΟΥΒΑΡΔΟΥ 74100 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Spantidaki Maria)

μ MSc -
(Chemist MSc - Technical Manager)

μ - Continuing from previous page

μ/ - Certificate Number : 2905-22-00929
- Date of Reporting : 8/2/2022

- ANNEX

1: μ GC-MS/MS
TABLE 1: AGRICULTURAL DRUG RESIDUES analyzed by GC-MS/MS

ACTIVE COMPOUND	ACTIVE COMPOUND	ACTIVE COMPOUND	ACTIVE COMPOUND
Acetochlor	Chlorfenson	Difenoconazole	Fensulfothion
Acibenzolar-S-methyl	Chlorfenvinphos	Diflufenican	Fenthion-metabolite
Aclonifen	Chloroneb	Dimefox	Fenvalerate
Acrinathrin	Chlorothalonil	Dimethenamid	Fipronil
Alachlor	Chlorpropham	Dimethoate	Fluazifop butyl
Aldicarb	Chlorpyrifos ethyl	Dimethomorph	Fluchloralin
Aldrin	Chlorpyrifos methyl	Dimoxystrobin	Flucythrinate
Ametryn	Chlorthal dimethyl	Diniconazole	Fludioxonil
Aminocarb	Chlozolinate	Diphenylamine	Flufenacet
Amitraz	Cinidon-ethyl	Disulfoton	Flumetralin
Atrazine	Clodinafop-propargyl	Disulfoton sulfone	Flumioxazine
Azaconazole	Clomazone	Disulfoton sulfoxide	Fluopicolide
Azamethiphos	Clothianidin	Ditalimfos	Fluopyram
Azinphos ethyl	Coumaphos	Dodemorph	Fluotrimazole
Azinphos methyl	Crimidine	Endosulfan sulfate	Fluoxastrobin
Azoxystrobin	Cyanazine	Endosulfan	Fluquinconazole
Beflubutamid	Cyanofenphos	Endosulfan	Flurprimidol
Benalaxyl-M	Cyanophos	Endrin	Flusilazole
Benalaxyl	Cycloate	Epoxiconazole	Flutolanil
Bendiocarb	Cyflufenamid	EPN	Flutriafol
Benfluralin	Cyfluthrin	EPTC	Fluvalinate
Benfuracarb	Cyhalothrin	Etaconazole	Folpet
Benthiavalicarb isopropyl	Cypermethrin	Ethalfuralin	Fonofos
Bifenazate	Cypermethrin alpha	Ethiofencarb	Formothion
Bifenox	Cyproconazole	Ethion	Fosthiazate
Bifenthrin	Cyprodinil	Ethofumesate	Fuberidazole
Biphenyl	Cyromazine	Ethoprophos	Furalaxyl
Bitertanol	DDD-o,p'	Ethoxyquin	Halfenprox
Boscalid	DDD-p,p'	Etofenprox	Halofenozide
Bromacil	DDE-o,p'	Etoxazole	Haloxyfop
Bromocyclen	DDE-p,p'	Etridiazole	HCH-
Bromophos ethyl	DDT-o,p'	Etrimfos	HCH-
Bromophos methyl	DDT-p,p'	Famoxadone	HCH- (Lindane)
Bromopropylate	Deltamethrin	Famphur	HCH-
Bromuconazole	Demeton S methyl	Fenamidone	Heptachlor
Bupirimate	Desmedipham	Fenamiphos	Heptachlor endo epoxide
Buprofezin	Desmetryn	Fenarimol	Heptachlor exo epoxide
Butafenacil	Diazinon	Fenazaquin	Heptenophos
Butralin	Dichlobenil	Fenbuconazole	Hexachlorobenzene
Cadusafos	Dichlofenthion	Fenchlorazol ethyl	Hexaconazole
Carbaryl	Dichlofluanid	Fenchlorphos	Hexazinone
Carbofuran	Dichloran	Fenhexamid	Hydroxycarbofuran-3
Carbophenothion	Dichlorvos	Fenitrothion	Imazalil
Carboxin	Diclobutrazol	Fenobucarb	Imazamethabenz-methyl
Carfentrazone ethyl	Diclofop-methyl	Fenoxycarb	Imibenconazole
Chlorantraniliprole	Dicloran	Fenpiclonil	Indoxacarb
Chlorbenzilat	Dicofol	Fenpropathrin	Iodfenphos
Chlordane cis	Dicrotophos	Fenpropidin	Iprobenfos
Chlordane trans	Dieldrin	Fenpropimorph	Iprodione
Chlorfenapyr	Diethofencarb	Fenson	Iprovalicarb

XHMIKOTECHNIKH
ANALYTICAL - MELETEΣ
ΛΑΓΚΟΥΒΑΡΔΟΥ - ΣΠΑΝΤΙΔΑΚΗ Ο.Ε.
Δ/Κ. ΜΑΚΡΗΣ - ΑΓΙΟΣ ΜΑΡΚΟΣ 741 00 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ
(Chemical Engineer - Laboratory Manager)

XHMIKOTECHNIKH
ANALYTICAL - MELETEΣ
ΛΑΓΚΟΥΒΑΡΔΟΥ - ΣΠΑΝΤΙΔΑΚΗ Ο.Ε.
Δ/Κ. ΜΑΚΡΗΣ - ΑΓΙΟΣ ΜΑΡΚΟΣ 741 00 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Spantidaki Maria)

μ MSc -
(Chemist MSc - Technical Manager)

- Continuing from previous page

- Certificate Number : 2905-22-00929

- Date of Reporting : 8/2/2022

1 ()
TABLE 1 (continuing)

ACTIVE COMPOUND	ACTIVE COMPOUND	ACTIVE COMPOUND	ACTIVE COMPOUND
Isazofos	Nitrapyrin	Propanil	Tepraloxymdim
Isocarbofos	Nitrofen	Propaquizafop	Terbacil
Isodrin	Nitrothal isopropyl	Propargite	Terbufos
Isofenphos	Norflurazon	Propazine	Terbumeton
Isofenphos methyl	Nuarimol	Propetamphos	Terbuthryn
Isoprocarb	Ofurace	Propham	Terbuthylazine
Isoprothiolane	Oxadiazon	Propiconazole	Tetraconazole
Isoapyrazam	Oxadixyl	Propoxur	Tetradifon
Isoxathion	Oxyfluorfen	Propyzamide	Tetramethrin
Kresoxim methyl	Paclobutrazol	Proquinazid	Tetrasul
Lenacil	Parathion	Prosulfocarb	Thiabendazole
Leptophos	Parathion methyl	Prothiofos	Thiamethoxam
Linuron	Penconazole	Pyraclostrobin	Thiofanox
Malathion	Pendimethalin	Pyraflufen-ethyl	Thiometon
Mefenacet	Pentachloranisole	Pyrazophos	Thionazin
Mefenpyr diethyl	Pentachloroaniline	Pyridaben	Tolclofos methyl
Mepanipyrim	Permethrin	Pyridaphenthion	Tolyfluanid
Mephosfolan	Perthane	Pyrifenox	Transfluthrin
Mepronil	Pethoxamid	Pyrimethanil	Triadimefon
Metalaxyl	Phenthoate	Pyrimidifen	Triadimenol
Metalaxyl M	Phorate	Pyriproxyfen	Triazophos
Metazachlor	Phosalone	Quinalphos	Trichlorfon
Methacrifos	Phosmet	Quintozene	Trichloronat
Methamidophos	Phosphamidon	Quizalofop-ethyl	Tricyclazole
Methidathion	Picolinafen	S421	Trifloxystrobin
Methiocarb	Picoxystrobin	Simazine	Triflumizole
Methoprotryne	Piperonyl butoxide	Simeconazole	Trifluralin
Methoxychlor	Pirimicarb	Spirodiclofen	Trinexapac-ethyl
Metolachlor	Pirimiphos ethyl	Spiromesifen	Triticonazole
Metrafenone	Pirimiphos methyl	Spiroxamine	Uniconazole
Metribuzin	Prochloraz	Sulfotep	Vamidothion
Metsulfuron-methyl	Procymidone	Sulprofos	Vamidothion sulfone
Mevinphos	Profenofos	Tebuconazole	Vinclozolin
Mirex	Profluralin	Tebufenpyrad	Zoxamide
Monocrotophos	Promecarb		
Myclobutanil	Prometryn	Tecnazene	
Napropamide	Propachlor	Tefluthrin	

XHMIKOTEXNIKH
ANALYTIKES MELETEES
ΛΑΓΚΟΥΒΑΡΔΟΥ - ΣΠΑΝΤΙΔΑΚΗ Ο.Ε.
ΔΙΕΚ. ΜΑΚΡΗΣ - ΑΓΙΟΣ ΜΑΡΚΟΣ 74100 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ
(Chemical Engineer - Laboratory Manager)

XHMIKOTEXNIKH
ANALYTIKES MELETEES
ΛΑΓΚΟΥΒΑΡΔΟΥ - ΣΠΑΝΤΙΔΑΚΗ Ο.Ε.
ΔΙΕΚ. ΜΑΚΡΗΣ - ΑΓΙΟΣ ΜΑΡΚΟΣ 74100 ΡΕΘΥΜΝΟ
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626
Α.Φ.Μ. 081756378 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Spantidaki Maria)

μ MSc -
(Chemist MSc - Technical Manager)